# Load cell



## Offer details

| | |
|---|---|
| Item name: | Load cell |
| Item No.: | 26002-2254 |
| Manufacturer: | FMS |
| Type: | LMGZ307 |
| Condition: | in working order |
| Location: | Germany, 89150 Laichingen |
| Availability: | immediately |

## Description

Type: LMGZ307.750.35, nominal force: approx. 750 N, stainless steel, unused in original packaging. For further details, see photos of the nameplate.

## Technical details

| | |
|---|---|
| Dimensions (LxWxH) approx.: | 350 x 350 x 150 mm |
| Weight approx.: | 5 kg |

**ReMach GmbH**
Burger Str. 28
D-42929 Wermelskirchen
Germany

**Managing Directors**
Oscar Soler Monte
Huy Trinh
www.re-mach.com

**Company Registration**
Number: HRB 125496
Amtsgericht Köln
Germany
Tax No.: 2710808308
VAT.No.: DE458213740

**Bank Details**
Account holder: ReMach GmbH
Bank name: GENO BANK ESSEN eG
BIC: GENODEM1GBE
IBAN: DE35 3606 0488 0139 4646 00

## Payment and Delivery Terms

Terms of delivery: Loaded on truck

Terms of payment: 100% prepayment before pick-up

**Price Netto** Auction item

## Your contact person

Huy Trinh


Phone: +49 2196 7050573


Mobile: +49 173 6172616


Email: htr@re-mach.com













**ReMach GmbH**
Burger Str. 28
D-42929 Wermelskirchen
Germany

**Managing Directors**
Oscar Soler Monte
Huy Trinh
www.re-mach.com

**Company Registration**
Number: HRB 125496
Amtsgericht Köln
Germany
Tax No.: 2710808308
VAT.No.: DE458213740

**Bank Details**
Account holder: ReMach GmbH
Bank name: GENO BANK ESSEN eG
BIC: GENODEM1GBE
IBAN: DE35 3606 0488 0139 4646 00



6 Technische Daten

| Bezeichnungen | |
|---|---|
| Empfindlichkeit | 1,8 mV/ V |
| Toleranz der Empfindlichkeit | < ± 0,2 % |
| Genauigkeitsklasse | ± 0,5 % ($F_{nom}$) |
| Messbereich | 100:1 |
| Temperaturkoeffizient | ± 0,1 % / 10 K |
| Temperaturbereich | -10 bis +60 °C |
| Schutzart | IP42 |
| Eingangswiderstand | 350 Ω |
| Speisespannung | 1 bis 7 VDC |
| Überlastsicherung | 20-fache Nennkraft |
| Axiale Belastbarkeit | 20 % Nennmesskraft |
| Werkstoff | Edelstahl |
| Elektrischer Anschluss | Flanschstecker Amphenol, 4-polig |

Tabelle 2: Technische Daten

28.07.2021 18

7 Abmessungen

Abbildung 12: Abmessungen

LMGZ_BA_Manual.at

28.07.2021

**ReMach GmbH**
Burger Str. 28
D-42929 Wermelskirchen
Germany

**Managing Directors**
Oscar Soler Monte
Huy Trinh
www.re-mach.com

**Company Registration**
Number: HRB 125496
Amtsgericht Köln
Germany
Tax No.: 2710808308
VAT.No.: DE458213740

**Bank Details**
Account holder: ReMach GmbH
Bank name: GENO BANK ESSEN eG
BIC: GENODEM1GBE
IBAN: DE35 3606 0488 0139 4646 00